
**APAC Infrastructure Pty Ltd**
ABN: 43 615 637 235
1300 952 788
sales@apacinfrastructure.com.au

# GC76 Series Galvanised Steel Headframe, 4-Sector

AP-GC76-HF4



## Key Features

- Four 900 mm uprights at 0°, 90°, 180°, 270°
- Spaced 400 mm from the centre mast
- Heavy duty galvanised steel
- Part of the GC76 Ecosystem

## Overview

GC76 headframes are designed to attach to the top of the GC76 series 76 mm diameter steel roof mast. This four sector headframe slips over the top of the GC76 centre pole and secures into place using M10 set screws.

Each 900 mm vertical mount is constructed from 48 mm diameter galvanised steel tube and fully welded to an 89 mm centre column via 400 mm length 48 mm CHS stand-offs to provide a high degree of rigidity and minimal deflection/torquing. Measurements are identical to the 2-Sector and 3-Sector variants to allow easy interchange.

**APAC Infrastructure Pty Ltd**
ABN: 43 615 637 235
1300 952 788
sales@apacinfrastructure.com.au

## Specification

| Parameter | AP-GC76-HF4 |
|---|---|
| **Physical Specification** | |
| System | **GC76** |
| Subtype | **Headframe** |
| Materials | **Steel** |
| Material Finish | **Hot-Dip Galvanised** |
| Mounting | **Pole Socket for 76 mm OD Spigot** |
| Dimensions | **850 × 850 × 900 mm** |
| **Interfaces** | |
| Installation / Attachment | **Quantity** \| **Mounting** \| **Notes**<br>1 \| Pole Socket for 76 mm OD Spigot \| Slots over GC76 series masts |
| Available Interfaces | **Quantity** \| **Interfaces** \| **Notes**<br>4 \| Pole 48 mm ⌀ \| 900 mm lengths |


**Subcomponents**


| Quantity | Bundled Components |
|---|---|
| 4 | Tap Bolt, Hot-Dip Galvanised 8.8 - M10 Standard Thread (AP-FST-TPB-HDM10) |

| Quantity | Item | Materials | Material Finish |
|---|---|---|---|
| 1 | Welded Frame, 48.3 O/D x 2.90 mm CHS Pipe | Steel Hollow Section AS 1163-C350LO | Hot-Dip Galvanised |
| 1 | Welded Socket 88.9 O/D x 3.25 mm CHS Pipe | Steel Hollow Section AS 1163-C350LO | Hot-Dip Galvanised |

**APAC Infrastructure Pty Ltd**
ABN: 43 615 637 235
1300 952 788
sales@apacinfrastructure.com.au

## Drawing



Australian designed and manufactured infrastructure for public safety and first response, built on the Sunshine Coast, Queensland. Need a variation on this design? Our team can engineer it to suit your site.

### Contact us

| | |
|---|---|
| Phone | 1300 952 788 |
| Email | sales@apacinfrastructure.com.au |
| Web | apacinfrastructure.com.au |
| ABN | 43 615 637 235 |

Specifications, dimensions and weights are nominal, correct at the date of issue and subject to change without notice. Images are for illustration and may show optional equipment. Confirm suitability for your site, including wind region and mounting surface, with APAC before ordering, and install in accordance with APAC's instructions and the relevant Australian Standards.

Issued 12 November 2026. For the latest version of this datasheet, visit https://apacinfrastructure.com.au/product-catalogue/bracketry/gc76-series-galvanised-steel-headframe-4-sector?v=185

© 2026 APAC Infrastructure Pty Ltd. All rights reserved.