
APAC Infrastructure Pty Ltd
ABN: 43 615 637 235
1300 952 788
sales@apacinfrastructure.com.au

Guy Wire Cleat - Multi-Anchor, Stainless Steel

AP-FST-GWCMA-SS



Key Features

- Galvanised or Stainless Steel
- Five guy wire positions
- 45 degree angle

Overview

A multi-anchor guy wire cleat is a hardware component designed for mounting guyed masts or roof towers. This component is crafted from a length of equal angle and features pre-drilled holes to accommodate multiple anchors. The cleat is equipped with several small holes for attachment using standard screws, as well as holes intended for connecting with turnbuckle hooks. By serving as an anchor point, it efficiently distributes tension and secures multiple guy wires, ensuring stability and support for the structure.

APAC Infrastructure Pty Ltd
ABN: 43 615 637 235
1300 952 788
sales@apacinfrastructure.com.au

Specification

Parameter	AP-FST-GWCMA-SS
Physical Specification	
Subtype	**Interface Bracket**
Materials	**Stainless Steel**
Material Finish	**Mill Finish**
Mounting	**Screw / Bolt**
Dimensions	**327 × 77 × 34 mm**
Weight	**0.6 kg**
Interfaces	
Installation / Attachment	**Quantity**: 4 — **Mounting**: Screw / Bolt

Subcomponents

Quantity	Item	Materials	Material Finish
1	Pressed plate with 5x Pre-Drilled Holes	Stainless Steel	Mill Finish

APAC Infrastructure Pty Ltd
ABN: 43 615 637 235
1300 952 788
sales@apacinfrastructure.com.au

Variants

Guy Wire Cleat - Multi-Anchor, Stainless Steel	AP-FST-GWCMA-SS · this datasheet
Guy Wire Cleat - Multi-Anchor, Galvanised	AP-FST-GWCMA

Australian designed and manufactured infrastructure for public safety and first response, built on the Sunshine Coast, Queensland. Need a variation on this design? Our team can engineer it to suit your site.

Contact us

Phone 1300 952 788
Email sales@apacinfrastructure.com.au
Web apacinfrastructure.com.au
ABN 43 615 637 235

Specifications, dimensions and weights are nominal, correct at the date of issue and subject to change without notice. Images are for illustration and may show optional equipment. Confirm suitability for your site, including wind region and mounting surface, with APAC before ordering, and install in accordance with APAC's instructions and the relevant Australian Standards.

Issued 11 November 2026. For the latest version of this datasheet, visit https://apacinfrastructure.com.au/product-catalogue/base-plates-interfaces/guy-wire-cleat-multi-anchor-galvanisedstainless?v=526

© 2026 APAC Infrastructure Pty Ltd. All rights reserved.