
APAC Infrastructure Pty Ltd
ABN: 43 615 637 235
1300 952 788
sales@apacinfrastructure.com.au

Right-Angle Crossover Clamp Bracket, Stainless Steel

AP-B-CC-SS



Key Features

- Perpendicular (90°) right angle mount
- For poles/equipment 40 to 101 mm in diameter
- 3 mm Stainless Steel (304) construction
- Galvanised available on request

Overview

Suitable for most applications where you need 90° mounting large structures with a boom 40 to 101.6 mm in diameter. Mounting pipe works is a relatively straight forward exercise, pick where you need a 90° boom, clamp it on, tighten up the all thread and walk away.

Manufactured from 304 grade stainless steel, this serrated clamp bracket provides high corrosion resistance and durability in demanding environments. Formed from 3 mm thick material with precision 90° pressed ends (35 mm × 30 mm × 35 mm), it delivers consistent structural integrity and reliable engagement. The integrated serrated profile enables secure, incremental positioning across a clamping range of 40 mm to 101.6 mm, ensuring stable load retention and minimising slip under mechanical stress.

Using the wrong clamp or not using a bracing kit can lead to failure of the pipe work and costly network downtime. Using the wrong clamp can lead to a range of issues, the most simple of which is equipment misalignment due to a slipping clamp. In extreme cases, the material can break due to increased stresses induced by the constant vibration on a localised point from an inappropriate clamp. Selecting the correct mount will ensure your equipment maintains its position for many years to come.

APAC Infrastructure Pty Ltd
ABN: 43 615 637 235
1300 952 788
sales@apacinfrastructure.com.au

Specification

Parameter	AP-B-CC-SS
Physical Specification	
Subtype	**Mounting Bracket**
Materials	**Stainless Steel**
Material Finish	**Mill Finish**
Mounting	**Pole Clamp 40 to 101 mm ⌀**
Dimensions	**160 × 353 × 160 mm**
Weight	**2.1 kg**
Interfaces	

Installation / Attachment

Quantity	Mounting
1	Pole Clamp 40 to 101 mm ⌀

Available Interfaces

Quantity	Interfaces
1	Pole Clamp 40 to 101 mm ⌀

Subcomponents

Quantity	Item	Materials	Material Finish
4	Threaded Rod with M12 Fixings	Stainless Steel	Mill Finish
1	Welded Serrated Pipe Clamp Assembly	Stainless Steel 304	Mill Finish

Quantity	Bundled Components
2	Serrated Pipe Clamp, Stainless Steel (AP-FSS-SPC)

Variants

Right-Angle Crossover Clamp Bracket, Stainless Steel AP-B-CC-SS · this datasheet	
Right-Angle Crossover Clamp Bracket, Galvanised Steel AP-B-CC-GS	

Australian designed and manufactured infrastructure for public safety and first response, built on the Sunshine Coast, Queensland. Need a variation on this design? Our team can engineer it to suit your site.

Contact us

Phone	1300 952 788
Email	sales@apacinfrastructure.com.au
Web	apacinfrastructure.com.au
ABN	43 615 637 235

Specifications, dimensions and weights are nominal, correct at the date of issue and subject to change without notice. Images are for illustration and may show optional equipment. Confirm suitability for your site, including wind region and mounting surface, with APAC before ordering, and install in accordance with APAC's instructions and the relevant Australian Standards.

Issued 11 November 2026. For the latest version of this datasheet, visit https://apacinfrastructure.com.au/product-catalogue/bracketry/right-angle-crossover-clamp-bracket-stainless-steel?v=590

© 2026 APAC Infrastructure Pty Ltd. All rights reserved.